

## Lavori mineralogia del suolo 2007-2010

WEB of Science, search options: (“soil mineralogy” or (Soil and mineralogy and clay))

- Abe, S.S. et al., 2009. Soil Development and Fertility Characteristics of Inland Valleys in the Rain Forest Zone of Nigeria: Mineralogical Composition and Particle-Size Distribution. *Pedosphere*, 19(4): 505-514.
- Adelinet, M., Fortin, J., D'Ozouville, N. and Violette, S., 2008. The relationship between hydrodynamic properties and weathering of soils derived from volcanic rocks, Galapagos Islands (Ecuador). *Environmental Geology*, 56(1): 45-58.
- Ahangar, A.G., Smernik, R.J., Kookana, R.S. and Chittleborough, D.J., 2008. Clear effects of soil organic matter chemistry, as determined by NMR spectroscopy, on the sorption of diuron. *Chemosphere*, 70(7): 1153-1160.
- Ajayi, A.E. et al., 2009a. Strength attributes and compaction susceptibility of Brazilian Latosols. *Soil & Tillage Research*, 105(1): 122-127.
- Ajayi, A.E. et al., 2009b. Relation of strength and mineralogical attributes in Brazilian latosols. *Soil & Tillage Research*, 102(1): 14-18.
- Akhtar, M.S. and Dixon, J.B., 2009. Mineralogical Characteristics and Potassium Quantity/Intensity Relation in Three Indus River Basin Soils. *Asian Journal of Chemistry*, 21(5): 3427-3442.
- Akselsson, C., Holmqvist, J., Kurz, D. and Sverdrup, H., 2006. Relations between elemental content in till, mineralogy of till and bedrock mineralogy in the province of Småland, southern Sweden. *Geoderma*, 136(3-4): 643-659.
- Alam, A., Xie, S.C., Saha, D.K. and Chowdhury, S.Q., 2008. Clay mineralogy of archaeological soil: an approach to paleoclimatic and environmental reconstruction of the archaeological sites of the Paharpur area, Badalgacchi upazila, Naogaon district, Bangladesh. *Environmental Geology*, 53(8): 1639-1650.
- Alekseev, A.O. et al., 2008. Modifications of the mineralogical composition and surface properties of soils as related to steppe climate dynamics in historical time. *Eurasian Soil Science*, 41(13): 1424-1432.
- Alekseeva, T., Alekseev, A., Maher, B.A. and Demkin, V., 2007. Late Holocene climate reconstructions for the Russian steppe, based on mineralogical and magnetic properties of buried palaeosols. *Palaeogeography Palaeoclimatology Palaeoecology*, 249(1-2): 103-127.
- Alekseeva, T.V., 2007. Soil microstructure and factors of its formation. *Eurasian Soil Science*, 40(6): 649-659.
- Alekseeva, T.V., Sokolowska, Z., Hajnos, M., Alekseev, A.O. and Kalinin, P.I., 2009. Water stability of aggregates in subtropical and tropical soils (Georgia and China) and its relationships with the mineralogy and chemical properties. *Eurasian Soil Science*, 42(4): 415-425.
- Alexander, E.B., Ellis, C.C. and Burke, R., 2007. A chronosequence of soils and vegetation on serpentine terraces in the Klamath mountains, USA. *Soil Science*, 172(7): 565-576.
- Allred, B.J., Bigham, J.M. and Brown, G.O., 2007. The impact of clay mineralogy on nitrate mobility under unsaturated flow conditions. *Vadose Zone Journal*, 6(2): 221-232.
- Anastacio, A.S. et al., 2005. Clay fraction mineralogy of a Cambisol in Brazil. *Hyperfine Interactions*, 166(1-4): 619-624.
- Anda, M., Shamshuddin, J., Fauziah, I.C. and Omar, S.R.S., 2008. Pore space and specific surface area of heavy clay oxisols as affected by their mineralogy and organic matter. *Soil Science*, 173(8): 560-574.

- Arcone, S., Grant, S., Boitnott, G. and Bostick, B., 2008. Complex permittivity and clay mineralogy of grain-size fractions in a wet slit soil. *Geophysics*, 73(3): J1-J13.
- Arias-Estevez, M. et al., 2008. The mobility and degradation of pesticides in soils and the pollution of groundwater resources. *Agriculture Ecosystems & Environment*, 123(4): 247-260.
- Asci, Y., Nurbas, M. and Acikel, Y.S., 2008. A comparative study for the sorption of Cd(II) by soils with different clay contents and mineralogy and the recovery of Cd(II) using rhamnolipid biosurfactant. *Journal of Hazardous Materials*, 154(1-3): 663-673.
- Bahmaniar, M.A., 2008. The influence of continuous rice cultivation and different waterlogging periods on the morphology, clay mineralogy, Eh, pH and K in paddy soils. *Eurasian Soil Science*, 41(1): 87-92.
- Bailey, J.S., Ramakrishna, A. and Kirchhof, G., 2008. Relationships between important soil variables in moderately acidic soils (pH  $\geq$  5.5) in the highlands of Papua New Guinea and management implications for subsistence farmers. *Soil Use and Management*, 24(3): 281-291.
- Bank, T.L. et al., 2008. Effects of gamma-sterilization on the physico-chemical properties of natural sediments. *Chemical Geology*, 251(1-4): 1-7.
- Barbieri, D.M., Marques, J., Alleoni, L.R.F., Garbuio, F.J. and Camargo, L.A., 2009. HILLSLOPE CURVATURE, CLAY MINERALOGY, AND PHOSPHORUS ADSORPTION IN AN ALFISOL CULTIVATED WITH SUGARCANE. *Scientia Agricola*, 66(6): 819-826.
- Barbiero, L. et al., 2007. Using a structural approach to identify relationships between soil and erosion in a semi-humid forested area, South India. *Catena*, 70(3): 313-329.
- Barbosa, I.O., Lacerda, M.P.C. and Bilich, M.R., 2009. PEDOMORPHOGEOLOGICAL RELATIONS IN THE CHAPADAS ELEVADAS OF THE DISTRITO FEDERAL, BRAZIL. *Revista Brasileira De Ciencia Do Solo*, 33(5): 1373-1383.
- Bardou, E., Boivin, P. and Pfeifer, H.R., 2007a. Properties of debris flow deposits and source materials compared: implications for debris flow characterization. *Sedimentology*, 54(2): 469-480.
- Bardou, E., Bowen, P., Boivin, P. and Banfill, P., 2007b. Impact of small amounts of swelling clays on the physical properties of debris-flow-like granular materials. Implications for the study of alpine debris flow. *Earth Surface Processes and Landforms*, 32(5): 698-710.
- Barre, P. and Hallett, P.D., 2009. Rheological stabilization of wet soils by model root and fungal exudates depends on clay mineralogy. *European Journal of Soil Science*, 60(4): 525-538.
- Barre, P., Montagnier, C., Chenu, C., Abbadie, L. and Velde, B., 2008. Clay minerals as a soil potassium reservoir: observation and quantification through X-ray diffraction. *Plant and Soil*, 302(1-2): 213-220.
- Barros, Y.J., Melo, V.D., Zanello, S., Romano, E.N.D. and Luciano, P.R., 2008. Heavy metal contents and mineralogical characterization of soils from the Santa Candida Municipal Cemetery, in Curitiba (PR, Brazil). *Revista Brasileira De Ciencia Do Solo*, 32(4): 1763-1773.
- Barthes, B.G., Brunet, D., Ferrer, H., Chotte, J.L. and Feller, C., 2006. Determination of total carbon and nitrogen content in a range of tropical soils using near infrared spectroscopy: influence of replication and sample grinding and drying. *Journal of near Infrared Spectroscopy*, 14(5): 341-348.
- Basile-Doelsch, I. et al., 2007. Mineral control of carbon pools in a volcanic soil horizon. *Geoderma*, 137(3-4): 477-489.
- Bernard-Ubertosi, M., Dudoignon, P. and Pons, Y., 2009. Characterization of Structural Profiles in Clay-Rich Marsh Soils by Cone Resistance and Resistivity Measurements. *Soil Science Society of America Journal*, 73(1): 46-54.
- Beroya, M.A.A., Aydin, A. and Katzenbach, R., 2009. Insight into the effects of clay mineralogy on the cyclic behavior of silt-clay mixtures. *Engineering Geology*, 106(3-4): 154-162.

- Bhardwaj, A.K., Mandal, U.K., Bar-Tal, A., Gilboa, A. and Levy, G.J., 2008. Replacing saline-sodic irrigation water with treated wastewater: effects on saturated hydraulic conductivity, slaking, and swelling. *Irrigation Science*, 26(2): 139-146.
- Bhardwaj, A.K., McLaughlin, R.A., Shainberg, I. and Levy, G.J., 2009. Hydraulic Characteristics of Depositional Seals as Affected by Exchangeable Cations, Clay Mineralogy, and Polyacrylamide. *Soil Science Society of America Journal*, 73(3): 910-918.
- Blank, R.R., Effect of Temperature on Potassium and Sodium Exchange in a Sierra Nevada Riparian Soil. *Soil Science Society of America Journal*, 74(1): 105-106.
- Blecker, S.W., Connolly, S.C., Cardon, G.E. and Kelly, E.F., 2009. The role of mining and agricultural activity in creating coexisting but divergent soils, San Luis Valley, Colorado, USA. *Geoderma*, 148(3-4): 384-391.
- Bonifacio, E., Falsone, G., Simonov, G., Sokolova, T. and Tolpeshta, I., 2009. Pedogenic processes and clay transformations in bisequal soils of the Southern Taiga zone. *Geoderma*, 149(1-2): 66-75.
- Bortoluzzi, E.C., Pernes, M. and Tessier, D., 2007. Interlayered kaolinite-smectite minerals in an Acrisol developed from sandstone parent material in southern Brazil. *Revista Brasileira De Ciencia Do Solo*, 31(6): 1291-1300.
- Bortoluzzi, E.C., Pernes, M. and Tessier, D., 2008. Mineralogy of particles involved information of a texture gradient in a subtropical Acrisol. *Revista Brasileira De Ciencia Do Solo*, 32(3): 997-1007.
- Bortoluzzi, E.C., Rheinheimer, D.D., Petry, C. and Kaminski, J., 2009. CONTRIBUTION OF SOIL CONSTITUENTS TO THE CATION EXCHANGE CAPACITY AS DETERMINED BY DIFFERENT EXTRACTION METHODS. *Revista Brasileira De Ciencia Do Solo*, 33(3): 507-515.
- Bouza, P.J., Simon, M., Aguilar, J., del Valle, H. and Rostagno, M., 2007. Fibrous-clay mineral formation and soil evolution in Aridisols of northeastern Patagonia, Argentina. *Geoderma*, 139(1-2): 38-50.
- Buccianti, A. et al., 2009. Natural radioactivity levels (K, Th, U and Rn) in the Cecita Lake area (Sila Massif, Calabria, Southern Italy): An attempt to discover correlations with soil features on a statistical base. *Geoderma*, 152(1-2): 145-156.
- Burke, B.C., Heimsath, A.M. and White, A.F., 2007. Coupling chemical weathering with soil production across soil-mantled landscapes. *Earth Surface Processes and Landforms*, 32(6): 853-873.
- Caldwell, T.G., McDonald, E.V., Bacon, S.N. and Stullenbarger, G., 2008. The performance and sustainability of vehicle dust courses for military testing. *Journal of Terramechanics*, 45(6): 213-221.
- Calero, N., Barron, V. and Torrent, J., 2008. Water dispersible clay in calcareous soils of southwestern Spain. *Catena*, 74(1): 22-30.
- Calvaruso, C., Mareschal, L., Turpault, M.P. and Leclerc, E., 2009. Rapid Clay Weathering in the Rhizosphere of Norway Spruce and Oak in an Acid Forest Ecosystem. *Soil Science Society of America Journal*, 73(1): 331-338.
- Camargo, L.A., Junior, J.M., Pereira, G.T. and Horvat, R.A., 2008a. SPATIAL VARIABILITY OF MINERALOGICAL ATTRIBUTES OF AN OXISOL UNDER DIFFERENT RELIEF FORMS. I - CLAY FRACTION MINERALOGY. *Revista Brasileira De Ciencia Do Solo*, 32(6): 2269-2277.
- Camargo, L.A., Marques, J., Pereira, G.T. and Horvat, R.A., 2008b. SPATIAL VARIABILITY OF MINERALOGICAL ATTRIBUTES OF AN OXISOL UNDER DIFFERENT RELIEF FORMS. II - CORRELATION BETWEEN MINERALOGY AND AGGREGATION. *Revista Brasileira De Ciencia Do Solo*, 32(6): 2279-2288.
- Centurion, J.F. et al., 2007. Influence of sugarcane cultivation and clay mineralogy in physical properties of rhodic Oxisols. *Revista Brasileira De Ciencia Do Solo*, 31(2): 199-209.

- Chandrajith, R., Kudavidanage, E., Tobschall, H.J. and Dissanayake, C.B., 2009. Geochemical and mineralogical characteristics of elephant geophagic soils in Udawalawe National Park, Sri Lanka. *Environmental Geochemistry and Health*, 31(3): 391-400.
- Conant, R.T., Easter, M., Paustian, K., Swan, A. and Williams, S., 2007. Impacts of periodic tillage on soil C stocks: A synthesis. *Soil & Tillage Research*, 95(1-2): 1-10.
- Cooke, M.J., Stern, L.A., Banner, J.L. and Mack, L.E., 2007. Evidence for the silicate source of relict soils on the Edwards Plateau, central Texas. *Quaternary Research*, 67(2): 275-285.
- Correa, M.M. et al., 2008. Low molecular weight organic and humic acids and effects on physical and chemical properties of oxisols and related soils. *Revista Brasileira De Ciencia Do Solo*, 32(1): 121-131.
- Cote, J. and Konrad, J.M., 2007. Indirect methods to assess the solid particle thermal conductivity of Quebec marine clays. *Canadian Geotechnical Journal*, 44(9): 1117-1127.
- da Silva, V., Motta, A.C.V., Melo, V.D. and Lima, V.C., 2008. Soil acidity parameters as related to clay mineralogy. *Revista Brasileira De Ciencia Do Solo*, 32(2): 551-559.
- Dahal, R.K. et al., 2009. Comparative analysis of contributing parameters for rainfall-triggered landslides in the Lesser Himalaya of Nepal. *Environmental Geology*, 58(3): 567-586.
- Dal' Bo, P.F.F., Basilici, G., Angelica, R.S. and Ladeira, F.S.B., 2009. Paleoclimatic interpretations from pedogenic calcretes in a Maastrichtian semi-arid eolian sand-sheet palaeoenvironment: Marilia Formation (Bauru Basin, southeastern Brazil). *Cretaceous Research*, 30(3): 659-675.
- de Albuquerque, M.R., Muggler, C.C., Schaefer, C., Ker, J.C. and dos Santos, F.C., 2008. Soils with latosolic morphology and cambic properties in governador valadares, middle rio DOCE river, Minas Gerais Region, Brazil: Genesis and micromorphology. *Revista Brasileira De Ciencia Do Solo*, 32(1): 259-270.
- de Almeida, J.A., Cararo, D.C. and Uberti, A.A.A., 2009. GENESIS OF THE SOMBRIC HORIZON IN ULTISOLS (RED ARGISOLS) IN SOUTHERN SANTA CATARINA, BRAZIL. *Revista Brasileira De Ciencia Do Solo*, 33(2): 405-416.
- de Koff, J.P., Lee, B.D. and Dungan, R.S., 2008. Amelioration of Physical Strength in Waste Foundry Green Sands for Reuse as a Soil Amendment. *Journal of Environmental Quality*, 37(6): 2332-2338.
- de Oliveira, A.C., Silva, C.A., Curi, N., de Lima, J.M. and Rangel, O.J.P., 2008. Carbon forms and quantities in leachates from Oxisols under influence of lime and phosphorus. *Revista Brasileira De Ciencia Do Solo*, 32(3): 1261-1271.
- de Souza, R.F., Faquin, V., Torres, P.R.F. and Baliza, D.P., 2006. Liming and organic fertilizer: Influence on phosphorus adsorption in soils. *Revista Brasileira De Ciencia Do Solo*, 30(6): 975-983.
- de Souza, Z.M., Marques, J., Pereira, G.T. and Saenz, C.M.S., 2009. SPATIAL VARIABILITY OF AGGREGATE STABILITY IN LATOSOLS UNDER SUGARCANE. *Revista Brasileira De Ciencia Do Solo*, 33(2): 245-253.
- Deka, S., Sreedeeep, S. and Dash, S.K., 2009. Re-evaluation of Laboratory Cone Penetration Method for High Liquid Limit Based on Free Swell Property of Soil. *Geotechnical Testing Journal*, 32(6): 553-558.
- Dematte, J.A.M., Nanni, M.R., Formaggio, A.R. and Epiphanyo, J.C.N., 2007. Spectral reflectance for the mineralogical evaluation of Brazilian low clay activity soils. *International Journal of Remote Sensing*, 28(20): 4537-4559.
- Denef, K. and Six, J., 2006. Contributions of incorporated residue and living roots to aggregate-associated and microbial carbon in two soils with different clay mineralogy. *European Journal of Soil Science*, 57(6): 774-786.
- Don, A., Scholten, T. and Schulze, E.D., 2009. Conversion of cropland into grassland: Implications for soil organic-carbon stocks in two soils with different texture. *Journal of Plant Nutrition and Soil Science-Zeitschrift Fur Pflanzenernahrung Und Bodenkunde*, 172(1): 53-62.

- Doolittle, J.A. et al., 2007. Ground-penetrating radar soil suitability map of the conterminous United States. *Geoderma*, 141(3-4): 416-421.
- dos Anjos, L.H.C., Pereira, M.G., Perez, D.V. and Ramos, D.P., 2007. Characterization and classification of plintosols from Pinheiro, Maranhao state, Brazil. *Revista Brasileira De Ciencia Do Solo*, 31(5): 1035-1044.
- Drouza, S., Georgoullas, F.A. and Moustakas, N.K., 2007. Investigation of soils developed on volcanic materials in Nisyros Island, Greece. *Catena*, 70(3): 340-349.
- Dumig, A. et al., 2008. A mosaic of nonallophanic Andosols, Umbrisols and Cambisols on rhyodacite in the southern Brazilian highlands. *Geoderma*, 145(1-2): 158-173.
- Eberhardt, D.N., Vendrame, P.R.S., Becquer, T. and Guimaraes, M.D., 2008. Influence of soil texture and mineralogy on phosphorus retention in Cerrado Oxisols under pasture. *Revista Brasileira De Ciencia Do Solo*, 32(3): 1009-1016.
- Eger, A. and Hewitt, A., 2008. Soils and their relationship to aspect and vegetation history in the eastern Southern Alps, Canterbury High Country, South Island, New Zealand. *Catena*, 75(3): 297-307.
- Eggleton, R.A. et al., 2008. Regolith profile, mineralogy and geochemistry of the Weipa Bauxite, northern Australia. *Australian Journal of Earth Sciences*, 55: S17-S43.
- Egli, M., Merkli, C., Sartori, G., Mirabella, A. and Plotze, M., 2008. Weathering, mineralogical evolution and soil organic matter along a Holocene soil toposequence developed on carbonate-rich materials. *Geomorphology*, 97(3-4): 675-696.
- Ekosse, G.I.E. and Mwitondi, K.S., 2009. Multiple data clustering algorithms applied in search of patterns of clay minerals in soils close to an abandoned manganese oxide mine. *Applied Clay Science*, 46(1): 1-6.
- Elliott, P.E. and Drohan, P.J., 2009. Clay accumulation and argillic-horizon development as influenced by aeolian deposition vs. local parent material on quartzite and limestone-derived alluvial fans. *Geoderma*, 151(3-4): 98-108.
- Erzin, Y. and Erol, O., 2007. Swell pressure prediction by suction methods. *Engineering Geology*, 92(3-4): 133-145.
- Etame, J., Gerard, M., Suh, C.E. and Bilong, P., 2009. Halloysite neof ormation during the weathering of nephelinitic rocks under humid tropical conditions at Mt Etinde, Cameroon. *Geoderma*, 154(1-2): 59-68.
- Fall, M. and Sarr, A.M., 2007. Geotechnical characterization of expansive soils and their implications in ground movements in Dakar. *Bulletin of Engineering Geology and the Environment*, 66(3): 279-288.
- Falsone, G., Celi, L. and Bonifacio, E., 2007. Aggregate formation in chloritic and serpentinitic Alpine soils. *Soil Science*, 172(12): 1019-1030.
- Farpoor, M.H., Soil Data Comparison in the Old vs. Restored Sections of the Bam Citadel Archeological Site in Kerman, Iran. *Journal of Agricultural Science and Technology*, 12(1): 91-98.
- Ferrier, K.L. and Kirchner, J.W., 2008. Effects of physical erosion on chemical denudation rates: A numerical modeling study of soil-mantled hillslopes. *Earth and Planetary Science Letters*, 272(3-4): 591-599.
- Fissore, C. et al., 2008. Temperature and vegetation effects on soil organic carbon quality along a forested mean annual temperature gradient in North America. *Global Change Biology*, 14(1): 193-205.
- Fox, S.J.C., Mills, A.J. and Poch, R.M., 2009. Micromorphology of surface crusts in the Knersvlakte, South Africa. *Journal of Mountain Science*, 6(2): 189-196.
- Funakawa, S., Watanabe, T. and Kosaki, T., 2008. Regional trends in the chemical and mineralogical properties of upland soils in humid Asia: With special reference to the WRB classification scheme. *Soil Science and Plant Nutrition*, 54(5): 751-760.

- Furquim, S.A.C., Graham, R.C., Barbiero, L., Neto, J.P.D. and Valles, V., 2008. MINERALOGY AND GENESIS OF SMECTITES IN AN ALKALINE-SALINE ENVIRONMENT OF PANTANAL WETLAND, BRAZIL. *Clays and Clay Minerals*, 56(5): 579-595.
- Ghasemi-Fasaei, R. et al., 2007. Copper release characteristics in selected soils from southern and northern Iran. *Australian Journal of Soil Research*, 45(6): 459-464.
- Ghosh, A.K., Sarkar, D., Bhattacharyya, P., Maurya, U.K. and Nayak, D.C., 2006. Mineralogical study of some arsenic contaminated soils of West Bengal, India. *Geoderma*, 136(1-2): 300-309.
- Giarola, N.F.B., de Lima, H.V., Romero, R.E., Brinatti, A.M. and da Silva, A.P., 2009. CRYSTALLOGRAPHY AND MINERALOGY OF THE CLAY FRACTION OF HARDSETTING HORIZONS IN SOILS OF COASTAL TABLELANDS IN BRAZIL. *Revista Brasileira De Ciencia Do Solo*, 33(1): 33-40.
- Gill, L.W., O'Luanigh, N., Johnston, P.M., Misstear, B.D.R. and O'Suilleabhain, C., 2009. Nutrient loading on subsoils from on-site wastewater effluent, comparing septic tank and secondary treatment systems. *Water Research*, 43(10): 2739-2749.
- Goli-Kalanpa, E., Roozitalab, M.H. and Malakouti, M.J., 2008. Potassium Availability as Related to Clay Mineralogy and Rates of Potassium Application. *Communications in Soil Science and Plant Analysis*, 39(17-18): 2721-2733.
- Gomes, J.B.V. et al., 2007. Mineralogy and micromorphology of skeletal soils from the cerradobioma in eastern goias. *Revista Brasileira De Ciencia Do Solo*, 31(5): 875-886.
- Gonzalez, C., Valverde, I. and Lafuente, A.L., 2007. Mineralogical and geo-chemical characterization of a diapiric formation in the North of Spain. *Catena*, 70(3): 375-387.
- Gratchev, I.B. and Sassa, K., 2009. Cyclic Behavior of Fine-Grained Soils at Different pH Values. *Journal of Geotechnical and Geoenvironmental Engineering*, 135(2): 271-279.
- Grawunder, A., Lonschinski, M., Merten, D. and Buchel, G., 2009. Distribution and bonding of residual contamination in glacial sediments at the former uranium mining leaching heap of Gessen/Thuringia, Germany. *Chemie Der Erde-Geochemistry*, 69: 5-19.
- Hai, N.Q. and Egashira, K., 2008a. Clay mineralogy of grey degraded soils and sandy soils as problem soils in Vietnam. *Journal of the Faculty of Agriculture Kyushu University*, 53(1): 171-178.
- Hai, N.Q. and Egashira, K., 2008b. Clay mineralogy of various marginal soils in Vietnam. *Journal of the Faculty of Agriculture Kyushu University*, 53(1): 179-186.
- Hansen, M.K., Brown, D.J., Dennison, P.E., Graves, S.A. and Brickley, R.S., 2009. Inductively mapping expert-derived soil-landscape units within dambo wetland catenae using multispectral and topographic data. *Geoderma*, 150(1-2): 72-84.
- Hartono, A., Funakawa, S. and Kosaki, T., 2006. Transformation of added phosphorus to acid upland soils with different soil properties in Indonesia. *Soil Science and Plant Nutrition*, 52(6): 734-744.
- He, C.L., Breuning-Madsen, H. and Awadzi, T.W., 2007. Mineralogy of dust deposited during the Harmattan season in Ghana. *Geografisk Tidsskrift-Danish Journal of Geography*, 107(1): 9-15.
- He, Y. et al., 2008. Clay minerals in a soil chronosequence derived from basalt on Hainan Island, China and its implication for pedogenesis. *Geoderma*, 148(2): 206-212.
- Heidari, A., Mahmood, S.H., Roozitalab, M.H. and Mermut, A.R., 2008. Diversity of Clay Minerals in the Vertisols of Three Different Climatic Regions in Western Iran. *Journal of Agricultural Science and Technology*, 10(3): 269-284.
- Hillier, S. and Pharande, A.L., 2008. CONTEMPORARY PEDOGENIC FORMATION OF PALYGORSKITE IN IRRIGATION-INDUCED, SALINE-SODIC, SHRINK-SWELL SOILS OF MAHARASHTRA, INDIA. *Clays and Clay Minerals*, 56(5): 531-548.
- Hoal, K.O. et al., 2009. Research in quantitative mineralogy: Examples from diverse applications. *Minerals Engineering*, 22(4): 402-408.

- Homann, P.S., Kapchinske, J.S. and Boyce, A., 2007. Relations of mineral-soil C and N to climate and texture: regional differences within the conterminous USA. *Biogeochemistry*, 85(3): 303-316.
- Hong, H.L., Li, Z.H. and Xiao, P., 2009a. CLAY MINERALOGY ALONG THE LATERITE PROFILE IN HUBEI, SOUTH CHINA: MINERAL EVOLUTION AND EVIDENCE FOR EOLIAN ORIGIN. *Clays and Clay Minerals*, 57(5): 602-615.
- Hong, H.L., Li, Z.H., Yang, M.Z., Xiao, P. and Xue, H.J., 2009b. Kaolin in the net-like horizon of laterite in Hubei, south China. *Clay Minerals*, 44(1): 51-66.
- Horpibulsuk, S., Katkan, W. and Apichatvullop, A., 2008. An approach for assessment of compaction curves of fine grained soils at various energies using a one point test. *Soils and Foundations*, 48(1): 115-125.
- Horpibulsuk, S., Shibuya, S., Fuenkajorn, K. and Katkan, W., 2007. Assessment of engineering properties of Bangkok clay. *Canadian Geotechnical Journal*, 44(2): 173-187.
- Hseu, Z.Y., Tsai, H., Hsi, H.C. and Chen, Y.C., 2007. Weathering sequences of clay minerals in soils along a serpentinitic toposequence. *Clays and Clay Minerals*, 55(4): 389-401.
- Huang, L., Liu, F., Tan, W.F., Hu, H.Q. and Wang, M.K., 2009. Geochemical characteristics of selected elements in iron-manganese cutans and matrices of Alfisols in central China. *Journal of Geochemical Exploration*, 103(1): 30-36.
- Hubert, F., Caner, L., Meunier, A. and Lanson, B., 2009. Advances in characterization of soil clay mineralogy using X-ray diffraction: from decomposition to profile fitting. *European Journal of Soil Science*, 60(6): 1093-1105.
- Hur, J. and Jung, M.C., 2009. The effects of soil properties on the turbidity of catchment soils from the Yongdam dam basin in Korea. *Environmental Geochemistry and Health*, 31(3): 365-377.
- Igwe, C.A. and Nkemakosi, J.T., 2007. Nutrient element contents and cation exchange capacity in fine fractions of southeastern Nigerian soils in relation to their stability. *Communications in Soil Science and Plant Analysis*, 38(9-10): 1221-1242.
- Igwe, C.A., Zarei, M. and Stahr, K., 2006. Estimating total elements in floodplain soils in Nigeria from their exchangeable/extractable forms. *Discovery and Innovation*, 18(4): 288-294.
- Igwe, C.A., Zarei, M. and Stahr, K., 2009. Mineralogy and geochemical properties of some upland soils from different sedimentary formations in south-eastern Nigeria. *Australian Journal of Soil Research*, 47(4): 423-432.
- Jacobs, P.M., Konen, M.E. and Curry, B.B., 2009. Pedogenesis of a catena of the Farmdale-Sangamon Geosol complex in the north central United States. *Palaeogeography Palaeoclimatology Palaeoecology*, 282(1-4): 119-132.
- Jacobson, A.R., Dousset, S., Andreux, F. and Baveye, P.C., 2007. Electron microprobe and synchrotron X-ray fluorescence mapping of the heterogeneous distribution of copper in high-copper vineyard soils. *Environmental Science & Technology*, 41(18): 6343-6349.
- Jeong, G.Y., 2008. Bulk and single-particle mineralogy of Asian dust and a comparison with its source soils. *Journal of Geophysical Research-Atmospheres*, 113(D2).
- Jiang, J., Xu, R.K. and Zhao, A.Z., Comparison of the surface chemical properties of four soils derived from Quaternary red earth as related to soil evolution. *Catena*, 80(3): 154-161.
- Jin, L.X., Williams, E.L., Szramek, K.J., Walter, L.A. and Hamilton, S.K., 2008. Silicate and carbonate mineral weathering in soil profiles developed on Pleistocene glacial drift (Michigan, USA): Mass balances based on soil water geochemistry. *Geochimica Et Cosmochimica Acta*, 72(4): 1027-1042.
- Johnson, C.J., Pedersen, J.A., Chappell, R.J., McKenzie, D. and Aiken, J.M., 2007. Oral transmissibility of prion disease is enhanced by binding to soil particles. *Plos Pathogens*, 3(7): 874-881.
- Jordan, M.M., Montero, M.A., Pina, S. and Garcia-Sanchez, E., 2009. Mineralogy and Distribution of Cd, Ni, Cr, and Pb in Biosolids-Amended Soils From Castellon Province (NE, Spain). *Soil Science*, 174(1): 14-20.

- Jouquet, P., Bottinelli, N., Lata, J.C., Mora, P. and Caquineau, S., 2007. Role of the fungus-growing termite *Pseudacanthotermes spiniger* (Isoptera, Macrotermitinae) in the dynamic of clay and soil organic matter content. An experimental analysis. *Geoderma*, 139(1-2): 127-133.
- Journet, E., Desboeufs, K.V., Caquineau, S. and Colin, J.L., 2008. Mineralogy as a critical factor of dust iron solubility. *Geophysical Research Letters*, 35(7).
- Kadir, S. and Eren, M., 2008. The occurrence and genesis of clay minerals associated with Quaternary caliches in the Mersin area, southern Turkey. *Clays and Clay Minerals*, 56(2): 244-258.
- Kaewmano, C., Kheoruenromne, I., Suddhiprakarn, A. and Gilkes, R.J., 2009. Aggregate stability of salt-affected kaolinitic soils on the North-east Plateau, Thailand. *Australian Journal of Soil Research*, 47(7): 697-706.
- Kahniann, J.A. and Driese, S.G., 2008. Paleopedology and geochemistry of late Mississippian (Chesterian) Pennington Formation paleosols at Pound Gap, Kentucky, USA: Implications for high-frequency climate variations. *Palaeogeography Palaeoclimatology Palaeoecology*, 259(4): 357-381.
- Kaya, A., 2009. Relating equal smectite content and basal spacing to the residual friction angle of soils. *Engineering Geology*, 108(3-4): 252-258.
- Khormali, F. and Nabiollahi, K., 2009. Degradation of Mollisols in Western Iran as Affected by Land Use Change. *Journal of Agricultural Science and Technology*, 11(3): 363-374.
- Kierczak, J., Neel, C., Bril, H. and Puziewicz, J., 2007. Effect of mineralogy and pedoclimatic variations on Ni and Cr distribution in serpentine soils under temperate climate. *Geoderma*, 142(1-2): 165-177.
- Kipp, G.G., Stone, J.J. and Stetler, L.D., 2009. Arsenic and uranium transport in sediments near abandoned uranium mines in Harding County, South Dakota. *Applied Geochemistry*, 24(12): 2246-2255.
- Kleber, M. and Jahn, R., 2007. Andosols and soils with andic properties in the German soil taxonomy. *Journal of Plant Nutrition and Soil Science-Zeitschrift Fur Pflanzenernahrung Und Bodenkunde*, 170(3): 317-328.
- Kleber, M., Schwendenmann, L., Veldkamp, E., Rossner, J. and Jahn, R., 2007. Halloysite versus gibbsite: Silicon cycling as a pedogenetic process in two lowland neotropical rain forest soils of La Selva, Costa Rica. *Geoderma*, 138(1-2): 1-11.
- Klein, N., Frohlich, F. and Krief, S., 2008. Geophagy: soil consumption enhances the bioactivities of plants eaten by chimpanzees. *Naturwissenschaften*, 95(4): 325-331.
- Kogel-Knabner, I. et al., 2008. Organo-mineral associations in temperate soils: Integrating biology, mineralogy, and organic matter chemistry. *Journal of Plant Nutrition and Soil Science-Zeitschrift Fur Pflanzenernahrung Und Bodenkunde*, 171(1): 61-82.
- Kokaly, R.F., Rockwell, B.W., Haire, S.L. and King, T.V.V., 2007. Characterization of post-fire surface cover, soils, and burn severity at the Cerro Grande Fire, New Mexico, using hyperspectral and multispectral remote sensing. *Remote Sensing of Environment*, 106(3): 305-325.
- Korobova, E.M. and Chizhikova, N.P., 2007. Distribution and mobility of radiocesium in relation to the clay fraction mineralogy and soil properties in the Iput River floodplain. *Eurasian Soil Science*, 40(10): 1062-1075.
- Krekeler, M.P.S. et al., 2007. Investigations of subsurface flow constructed wetlands and associated geomaterial resources in the Akumal and Reforma regions, Quintana Roo, Mexico. *Environmental Geology*, 53(4): 709-726.
- Krinari, G.A., Shinkarev, A.A. and Giniyatullin, K.G., 2006. Mineralogy of the clay fraction of water-stable aggregates from dark gray forest soil. *Eurasian Soil Science*, 39(1): 71-83.
- Lado, M., Ben-Hur, M. and Shainberg, I., 2007. Clay mineralogy, ionic composition, and pH effects on hydraulic properties of depositional seals. *Soil Science Society of America Journal*, 71(2): 314-321.

- Lair, G.J., Gerzabek, M.H. and Haberhauer, G., 2007. Retention of copper, cadmium and zinc in soil and its textural fractions influenced by long-term field management. *European Journal of Soil Science*, 58(5): 1145-1154.
- Lair, G.J., Zehetner, F., Khan, Z.H. and Gerzabek, M.H., 2009. Phosphorus sorption-desorption in alluvial soils of a young weathering sequence at the Danube River. *Geoderma*, 149(1-2): 39-44.
- Laird, D.A., Chappell, M.A., Martens, D.A., Wershaw, R.L. and Thompson, M., 2008. Distinguishing black carbon from biogenic humic substances in soil clay fractions. *Geoderma*, 143(1-2): 115-122.
- Lehmann, J. et al., 2008. Spatial complexity of soil organic matter forms at nanometre scales. *Nature Geoscience*, 1(4): 238-242.
- Leite, L.F.C. et al., 2009. Modeling organic carbon dynamics under no-tillage and plowed systems in tropical soils of Brazil using CQESTR. *Soil & Tillage Research*, 102(1): 118-125.
- Lichter, K. et al., 2008. Aggregation and C and N contents of soil organic matter fractions in a permanent raised-bed planting system in the Highlands of Central Mexico. *Plant and Soil*, 305(1-2): 237-252.
- Lima, J.G.D., Schulze, S., Ribeiro, M.R. and Barreto, S.D., 2008. Mineralogy of an Ultisol in the Coastal Humid Zone of Pernambuco, Brazil. *Revista Brasileira De Ciencia Do Solo*, 32(2): 881-892.
- Little, D. and Nair, S., 2009. Validation of Sensitivity of Sulfate-Bearing Soils to Ettringite Growth by Differential Scanning Calorimetry. *Transportation Research Record*(2104): 63-70.
- Little, D.N., Nair, S. and Herbert, B., Addressing Sulfate-Induced Heave in Lime Treated Soils. *Journal of Geotechnical and Geoenvironmental Engineering*, 136(1): 110-118.
- Liu, P. et al., 2008. Sorption of polar and nonpolar aromatic compounds to four surface soils of eastern China. *Environmental Pollution*, 156(3): 1053-1060.
- Mahaney, W.C., Kalm, V., Kapran, B., Milner, M.W. and Hancock, R.G.V., 2009. A soil chronosequence in Late Glacial and Neoglacial moraines, Humboldt Glacier, northwestern Venezuelan Andes. *Geomorphology*, 109(3-4): 236-245.
- Mandal, U.K. et al., 2008. Changes in soil hydraulic conductivity, runoff, and soil loss due to irrigation with different types of saline-sodic water. *Geoderma*, 144(3-4): 509-516.
- Massoura, S.T. et al., 2006. Control of nickel availability by nickel bearing minerals in natural and anthropogenic soils. *Geoderma*, 136(1-2): 28-37.
- Matus, F. et al., 2008. Relationship between extractable Al and organic C in volcanic soils of Chile. *Geoderma*, 148(2): 180-188.
- McLauchlan, K., 2006. The nature and longevity of agricultural impacts on soil carbon and nutrients: A review. *Ecosystems*, 9(8): 1364-1382.
- Medunic, G. et al., 2009. Distribution of copper and zinc in the soil of an industrial zone in the city of Garesnica, Croatia. *Geologia Croatica*, 62(3): 179-187.
- Melo, V.D., de Moura, R., Toledo, F.H., Lima, V.C. and Ghidin, A.A., 2008a. Morphology of soil structure of the red-yellow and dusky red latosols of Parana State, Brazil, by scanner image analyses. *Revista Brasileira De Ciencia Do Solo*, 32(1): 85-99.
- Melo, V.D., Toledo, F.H., de Moura, R., Lima, V.C. and Ghidin, A.A., 2008b. Chemical and mineralogical characterization of the different structure size classes of red-yellow and dusky red latosols in Parana, Brazil. *Revista Brasileira De Ciencia Do Solo*, 32(1): 67-83.
- Mironov, V.L., Kosolapova, L.G. and Fomin, S.V., 2009. Physically and Mineralogically Based Spectroscopic Dielectric Model for Moist Soils. *Ieee Transactions on Geoscience and Remote Sensing*, 47(7): 2059-2070.
- Mokhtari, A.R., Cohen, D.R. and Gatehouse, S.G., 2009. Geochemical effects of deeply buried Cu-Au mineralization on transported regolith in an and terrain. *Geochemistry-Exploration Environment Analysis*, 9: 227-236.

- Moreau, A., da Costa, L.M., Ker, J.C. and Gomes, F.H., 2006. Genesis of hardened horizons, fragipan and duripan in soils of the coastal tablelands of south Bahia. *Revista Brasileira De Ciencia Do Solo*, 30(6): 1021-1030.
- Mota, J.C.A. et al., 2007. Mineralogical attributes of three soils under melon cultivation in the Apodi Tableland, northeastern Brazil. *Revista Brasileira De Ciencia Do Solo*, 31(3): 445-454.
- Muggler, C.C., Buurman, P. and van Doesburg, J.D.J., 2007. Weathering trends and parent material characteristics of polygenetic oxisols from Minas Gerais, Brazil: I. Mineralogy. *Geoderma*, 138(1-2): 39-48.
- Muhs, D.R. et al., 2007. Airborne dust transport to the eastern Pacific Ocean off southern California: Evidence from San Clemente Island. *Journal of Geophysical Research-Atmospheres*, 112(D13).
- Muhs, D.R. et al., 2008. Geochemical evidence for airborne dust additions to soils in Channel Islands National Park, California. *Geological Society of America Bulletin*, 120(1-2): 106-126.
- Murakami, H. and Ishihara, S., 2008. REE Mineralization of Weathered Crust and Clay Sediment on Granitic Rocks in the Sanyo Belt, SW Japan and the Southern Jiangxi Province, China. *Resource Geology*, 58(4): 373-401.
- Murashkina, M.A., Southard, R.J. and Pettygrove, G.S., 2007a. Potassium fixation in San Joaquin Valley soils derived from granitic and nongranitic alluvium. *Soil Science Society of America Journal*, 71(1): 125-132.
- Murashkina, M.A., Southard, R.J. and Pettygrove, G.S., 2007b. Silt and fine sand fractions dominate K fixation in soils derived from granitic alluvium of the San Joaquin Valley, California. *Geoderma*, 141(3-4): 283-293.
- Navarrete, I.A., Tsutsuki, K., Asio, V.B. and Kondo, R., 2009. Characteristics and formation of rain forest soils derived from late Quaternary basaltic rocks in Leyte, Philippines. *Environmental Geology*, 58(6): 1257-1268.
- Navarrete, I.A., Tsutsuki, K., Kondo, R. and Asio, V.B., 2008. Genesis of soils across a late Quaternary volcanic landscape in the humid tropical island of Leyte, Philippines. *Australian Journal of Soil Research*, 46(5): 403-414.
- Navas, A. et al., 2008. Soil characteristics on varying lithological substrates in the South Shetland Islands, maritime Antarctica. *Geoderma*, 144(1-2): 123-139.
- Ndzangou, S.O., Richer-LaFleche, M. and Houle, D., 2006. Anthropogenic Pb accumulation in forest soils from Lake Clair watershed: Duchesnay experimental forest (Quebec, Canada). *Applied Geochemistry*, 21(12): 2135-2147.
- Neto, L.D.D., Inda, A.V., Bayer, C., Dick, D.P. and Tonin, A.T., 2008. IRON OXIDES IN TROPICAL AND SUBTROPICAL BRAZILIAN OXISOLS UNDER LONG-TERM NO-TILLAGE. *Revista Brasileira De Ciencia Do Solo*, 32(5): 1873-1881.
- Neto, O.B.D., de Matos, A.T., Abrahao, W.A.P., da Costa, L.M. and Duarte, A., 2009. IRRIGATION WATER QUALITY INFLUENCE ON CLAY DISPERSIVE BEHAVIOR OF OXISOLS. *Revista Brasileira De Ciencia Do Solo*, 33(6): 1571-1581.
- Ngole, V.M. and Ekosse, G.E., 2009. PHYSICO-CHEMISTRY AND MINERALOGY RELATED TO PRODUCTIVITY OF ARENOSOL, LUVISOL AND VERTISOL. *Iranian Journal of Science and Technology Transaction a-Science*, 32(A2): 99-108.
- Nitzsche, R.P., Percival, J.B., Torrance, J.K., Stirling, J.A.R. and Bowen, J.T., 2008. X-ray diffraction and infrared characterization of Oxisols from central and southeastern Brazil. *Clay Minerals*, 43(4): 549-560.
- Noe, D.C., Higgins, J.D. and Olsen, H.W., 2007. Steeply dipping heaving Bedrock, Colorado: Part 2 - Mineralogical and engineering properties. *Environmental & Engineering Geoscience*, 13(4): 309-324.

- Norra, S. et al., 2008. The influence of different land uses on mineralogical and chemical composition and horizonation of urban soil profiles in Qingdao, China. *Journal of Soils and Sediments*, 8(1): 4-16.
- Opfergelt, S., Delvaux, B., Andre, L. and Cardinal, D., 2008. Plant silicon isotopic signature might reflect soil weathering degree. *Biogeochemistry*, 91(2-3): 163-175.
- Orgeira, M.J., Vasquez, C.A., Compagnucci, R.H., Raposo, I. and Pereyra, F.X., 2009. Rock magnetism in soils of the Pampean plain. Buenos Aires province, Argentina. Linking climate and magnetic behaviour. *Revista Mexicana De Ciencias Geologicas*, 26(1): 65-78.
- Ouhadi, V.R. and Goodarzi, A.R., 2007. Factors impacting the electro conductivity variations of clayey soils. *Iranian Journal of Science and Technology Transaction B-Engineering*, 31(B2): 109-121.
- Pai, C.W., Wang, M.K. and Chiu, C.Y., 2007. Clay mineralogical characterization of a toposequence of perhumid subalpine forest soils in northeastern Taiwan. *Geoderma*, 138(1-2): 177-184.
- Panayiotopoulos, K.P. and Leinas, D., 2009. Influence of Aggregate Size, Electrolyte Concentration, and Sodium Adsorption Ratio on Crack Parameters of a Vertisol. *Communications in Soil Science and Plant Analysis*, 40(11-12): 1712-1721.
- Pardo, M.T., Almendros, G., Kileo, E., Maliondo, S. and Msanya, B., 2008. Cultivation-induced effects on the soil organomineral matrix and their bearing on crust development on two soil formations from Tanzania. *Communications in Soil Science and Plant Analysis*, 39(1-2): 65-81.
- Paul, S., Flessa, H., Veldkamp, E. and Lopez-Ulloa, M., 2008a. Stabilization of recent soil carbon in the humid tropics following land use changes: evidence from aggregate fractionation and stable isotope analyses. *Biogeochemistry*, 87(3): 247-263.
- Paul, S., Martinson, G.O., Veldkamp, E. and Flessa, H., 2008b. Sample pretreatment affects the distribution of organic carbon in aggregates of tropical grassland soils. *Soil Science Society of America Journal*, 72(2): 500-506.
- Pettinelli, E., Beaubien, S.E., Lombardi, S. and Annan, A.P., 2008. GPR, TDR, and geochemistry measurements above an active gas vent to study near-surface gas-migration pathways. *Geophysics*, 73(1): A11-A15.
- Plante, A.F., Fernandez, J.M. and Leifeld, J., 2009. Application of thermal analysis techniques in soil science. *Geoderma*, 153(1-2): 1-10.
- Prakash, K. and Sridharan, A., 2008. Stress history effects on consolidation and permeability behavior of fine-grained soils. *Journal of Testing and Evaluation*, 36(3): 250-258.
- Rasmussen, C., Southard, R.J. and Horwath, W.R., 2007. Soil mineralogy affects conifer forest soil carbon source utilization and microbial priming. *Soil Science Society of America Journal*, 71(4): 1141-1150.
- Rasmussen, C., Southard, R.J. and Horwath, W.R., 2008. Litter type and soil minerals control temperate forest soil carbon response to climate change. *Global Change Biology*, 14(9): 2064-2080.
- Rateev, M.A., Sadchikova, T.A. and Shabrova, V.P., 2008. Clay minerals in recent sediments of the World Ocean and their relation to types of lithogenesis. *Lithology and Mineral Resources*, 43(2): 125-135.
- Reatto, A. et al., 2008. Variation of the kaolinite and gibbsite content at regional and local scale in Latosols of the Brazilian Central Plateau. *Comptes Rendus Geoscience*, 340(11): 741-748.
- Reatto, A. et al., 2009a. Development and origin of the microgranular structure in latosols of the Brazilian Central Plateau: Significance of texture, mineralogy, and biological activity. *Catena*, 76(2): 122-134.
- Reatto, A. et al., 2009b. Shrinkage of microaggregates in Brazilian Latosols during drying: significance of the clay content, mineralogy and hydric stress history. *European Journal of Soil Science*, 60(6): 1106-1116.

- Reatto, A., Bruand, A., Silva, E.M., Martins, E.S. and Brossard, M., 2007. Hydraulic properties of the diagnostic horizon of Latosols of a regional toposequence across the Brazilian Central Plateau. *Geoderma*, 139(1-2): 51-59.
- Reichert, J.M. et al., 2009a. ESTIMATION OF WATER RETENTION AND AVAILABILITY IN SOILS OF RIO GRANDE DO SUL. *Revista Brasileira De Ciencia Do Solo*, 33(6): 1547-1560.
- Reichert, J.M., Norton, L.D., Favaretto, N., Huang, C.H. and Blume, E., 2009b. Settling Velocity, Aggregate Stability, and Interrill Erodibility of Soils Varying in Clay Mineralogy. *Soil Science Society of America Journal*, 73(4): 1369-1377.
- Rezapour, S., Jafarzadeh, A.A., Samadi, A. and Oustan, S., 2009. Impacts of clay mineralogy and physiographic units on the distribution of potassium forms in calcareous soils in Iran. *Clay Minerals*, 44(3): 327-337.
- Richter, N. et al., 2009. Free Iron Oxide Determination in Mediterranean Soils using Diffuse Reflectance Spectroscopy. *Soil Science Society of America Journal*, 73(1): 72-81.
- Rinaudo, C., Gastaldi, D., Zerbinati, O., Fornero, E. and Berta, G., 2009. Characterization of an Area Polluted by Copper and Zinc: the Relation between Soil Texture, Mineralogy and Pollutant Concentration. *Acta Geologica Sinica-English Edition*, 83(6): 1224-1231.
- Robinson, C., Barry, D.A., McCarty, P.L., Gerhard, J.I. and Kouznetsova, I., 2009. pH control for enhanced reductive bioremediation of chlorinated solvent source zones. *Science of the Total Environment*, 407(16): 4560-4573.
- Rolim, F.C. et al., 2009. TOPOLITOSEQUENCES OF SOILS IN ALTO PARANAIBA REGION: PHYSICAL, CHEMICAL AND MINERALOGICAL PROPERTIES. *Revista Brasileira De Ciencia Do Solo*, 33(6): 1795-1809.
- Ruskin, B.G. and Jordan, T.E., 2007. Climate change across continental sequence boundaries: Paleopedology and lithofacies of iglesia basin, northwestern Argentina. *Journal of Sedimentary Research*, 77(9-10): 661-679.
- Samadi, A., Dovlati, B. and Barin, M., 2008. Effect of continuous cropping on potassium forms and potassium adsorption characteristics in calcareous soils of Iran. *Australian Journal of Soil Research*, 46(3): 265-272.
- Sass, I. and Burbaum, U., 2009. A method for assessing adhesion of clays to tunneling machines. *Bulletin of Engineering Geology and the Environment*, 68(1): 27-34.
- Schaefer, C., Fabris, J.D. and Ker, J.C., 2008. Minerals in the clay fraction of Brazilian Latosols (Oxisols): a review. *Clay Minerals*, 43(1): 137-154.
- Schaetzl, R.J. and Loope, W.L., 2008. Evidence for an eolian origin for the silt-enriched soil mantles on the glaciated uplands of eastern Upper Michigan, USA. *Geomorphology*, 100(3-4): 285-295.
- Semenov, M.Y., Spolnik, Z. and Van Grieken, R., 2007. Assessing the size-dependent chemical speciation of soil particles using electron probe X-ray microanalysis. *Microchimica Acta*, 157(3-4): 121-126.
- Senarath, A., Palmer, A.S. and Tillman, R.W., Soil spatial variability of drainage properties in relation to phosphate retention and mineralogy on a river terrace of northern Manawatu, New Zealand. *Australian Journal of Soil Research*, 48(1): 69-76.
- Serbin, G., Daughtry, C.S.T., Hunt, E.R., Brown, D.J. and McCarty, G.W., 2009a. Effect of Soil Spectral Properties on Remote Sensing of Crop Residue Cover. *Soil Science Society of America Journal*, 73(5): 1545-1558.
- Serbin, G., Daughtry, C.S.T., Hunt, E.R., Reeves, J.B. and Brown, D.J., 2009b. Effects of soil composition and mineralogy on remote sensing of crop residue cover. *Remote Sensing of Environment*, 113(1): 224-238.
- Serrano, S., O'Day, P.A., Vlassopoulos, D., Garcia-Gonzalez, M.T. and Garrido, F., 2009. A surface complexation and ion exchange model of Pb and Cd competitive sorption on natural soils. *Geochimica Et Cosmochimica Acta*, 73(3): 543-558.

- Seybold, C.A., Elrashidi, M.A. and Engel, R.J., 2008. Linear regression models to estimate soil liquid limit and plasticity index from basic soil properties. *Soil Science*, 173(1): 25-34.
- Silva, V.A. et al., 2008. Kinetics of K release from soils of Brazilian coffee regions: Effect of organic acids. *Revista Brasileira De Ciencia Do Solo*, 32(2): 533-540.
- Simonsson, M. et al., 2007. Potassium release and fixation as a function of fertilizer application rate and soil parent material. *Geoderma*, 140(1-2): 188-198.
- Singurindy, O., Molodovskaya, M., Richards, B.K. and Steenhuis, T.S., 2008. Gaseous nitrogen emission from soil aggregates as affected by clay mineralogy and repeated urine applications. *Water Air and Soil Pollution*, 195(1-4): 285-299.
- Sivakumar, V., Glynn, D., Cairns, P. and Black, J.A., 2009. A new method of measuring plastic limit of fine materials. *Geotechnique*, 59(10): 813-823.
- Sivapullaiah, P.V., 2007. Induced swelling of kaolinitic soil in alkali solution. *Soils and Foundations*, 47(1): 59-66.
- Sivapullaiah, P.V., Prasad, B.G. and Allam, M.M., 2008. Methylene Blue Surface Area Method to Correlate with Specific Soil Properties. *Geotechnical Testing Journal*, 31(6): 503-512.
- Smith, C.A.S., Sanborn, P.T., Bond, J.D. and Frank, G., 2009. Genesis of Turbic Cryosols on north-facing slopes in a dissected, unglaciated landscape, west-central Yukon Territory. *Canadian Journal of Soil Science*, 89(5): 611-622.
- Smith, J.J., Hasiotis, S.T., Woody, D.T. and Kraus, M.J., 2008. Paleoclimatic implications of crayfish-mediated prismatic structures in paleosols of the Paleogene Willwood Formation, Bighorn Basin, Wyoming, USA. *Journal of Sedimentary Research*, 78(5-6): 323-334.
- Smucker, A.J.M., Park, E.J., Dorner, J. and Horn, R., 2007. Soil micropore development and contributions to soluble carbon transport within macroaggregates. *Vadose Zone Journal*, 6(2): 282-290.
- Soares, M.R. and Alleoni, L.R.F., 2008. Contribution of soil organic carbon to the ion exchange capacity of tropical soils. *Journal of Sustainable Agriculture*, 32(3): 439-462.
- Souza, V.S., Vidal-Torrado, P., Garcia-Gonzalez, M.T., Otero, X.L. and Macias, F., 2008. Soil mineralogy of mangrove forests from the state of Sao Paulo, Southeastern Brazil. *Soil Science Society of America Journal*, 72(3): 848-857.
- Stewart, C.E., Plante, A.F., Paustian, K., Conant, R.T. and Six, J., 2008. Soil carbon saturation: Linking concept and measurable carbon pools. *Soil Science Society of America Journal*, 72(2): 379-392.
- Strawn, D.G., Hickey, P., Knudsen, A. and Baker, L., 2007. Geochemistry of lead contaminated wetland soils amended with phosphorus. *Environmental Geology*, 52(1): 109-122.
- Stucki, J.W., Lee, K., Goodman, B.A. and Kostka, J.E., 2007. Effects of in situ biostimulation on iron mineral speciation in a sub-surface soil. *Geochimica Et Cosmochimica Acta*, 71(4): 835-843.
- Summa, V., Tateo, F., Medici, L. and Giannossi, M.L., 2007. The role of mineralogy, geochemistry and grain size in badland development in Pisticci (Basilicata, Southern Italy). *Earth Surface Processes and Landforms*, 32(7): 980-997.
- Taboada, M.A., Barbosa, O.A. and Cosentino, D.J., 2008. Null creation of air-filled structural pores by soil cracking and shrinkage in silty loamy soils. *Soil Science*, 173(2): 130-142.
- Tate, S.E., Greene, R.S.B., Scott, K.M. and McQueen, K.G., 2007. Recognition and characterisation of the aeolian component in soils in the Girilambone Region, north western New South Wales, Australia. *Catena*, 69(2): 122-133.
- Tematio, P. et al., 2009. Mineral and geochemical characterization of a leptic aluandic soil and a thapto aluandic-ferralsol developed on trachytes in Mount Bambouto (Cameroon volcanic line). *Geoderma*, 152(3-4): 314-323.
- Tsatskin, A., Gendler, T.S., Heller, F., Dekman, I. and Frey, G.L., 2009. Towards understanding paleosols in Southern Levantine eolianites: Integration of micromorphology, environmental magnetism and mineralogy. *Journal of Mountain Science*, 6(2): 113-124.

- Turner, M.L. et al., 2008. Use of gamma emission computed tomography to study the effect of electrolyte concentration on regions of preferred flow and hydraulic conductivity in deep regolith materials. *Australian Journal of Soil Research*, 46(2): 101-111.
- Tye, A.M., Kemp, S.J. and Poulton, P.R., 2009. Responses of soil clay mineralogy in the Rothamsted Classical Experiments in relation to management practice and changing land use. *Geoderma*, 153(1-2): 136-146.
- Ugolini, F.C., Hillier, S., Certini, G. and Wilson, M.J., 2008. The contribution of aeolian material to an Aridisol from southern Jordan as revealed by mineralogical analysis. *Journal of Arid Environments*, 72(8): 1431-1447.
- Vacca, S. et al., 2009. From andic non-allophanic to non-andic allophanic Inceptisols on alkaline basalt in Mediterranean climate A toposequence study in the Marghine district (Sardinia, Italy). *Geoderma*, 151(3-4): 157-167.
- Van Ranst, E., Utami, S.R., Verdoodt, A. and Qafoku, N.P., 2008. Mineralogy of a perudic Andosol in central Java, Indonesia. *Geoderma*, 144(1-2): 379-386.
- Vanek, A. et al., Thallium dynamics in contrasting light sandy soils-Soil vulnerability assessment to anthropogenic contamination. *Journal of Hazardous Materials*, 173(1-3): 717-723.
- Virto, I., Barre, P. and Chenu, C., 2008. Microaggregation and organic matter storage at the silt-size scale. *Geoderma*, 146(1-2): 326-335.
- Wang, M.K., Wang, W.M., Chiang, P.N., Chen, Y.M. and Chang, C.M., 2007. Clay mineralogy and major element chemistry of the early Quaternary and late Miocene paleosols on Penghu Islands (Pescadores), Taiwan. *Soil Science*, 172(6): 486-498.
- Watanabe, T., Funakawa, S. and Kosaki, T., 2006. Clay mineralogy and its relationship to soil solution composition in soils from different weathering environments of humid Asia: Japan, Thailand and Indonesia. *Geoderma*, 136(1-2): 51-63.
- Welch, S.A., Christy, A.G., Isaacson, L. and Kirste, D., 2009. Mineralogical control of rare earth elements in acid sulfate soils. *Geochimica Et Cosmochimica Acta*, 73(1): 44-64.
- White, P.D. and Schiebout, J., 2008. Paleogene paleosols and changes in pedogenesis during the initial Eocene thermal maximum: Big Bend National Park, Texas, USA. *Geological Society of America Bulletin*, 120(11-12): 1347-1361.
- Wick, A.F., Huzurbazar, S.V. and Stahl, P.D., 2009. Use of Bayesian Methods to Model Soil Aggregation in Undisturbed Semiarid Grasslands. *Soil Science Society of America Journal*, 73(5): 1707-1714.
- Williams, E.L. et al., 2007. Silicate weathering in temperate forest soils: insights from a field experiment. *Biogeochemistry*, 82(2): 111-126.
- Wong, M.T.F. and Wittwer, K., 2009. Positive charge discovered across Western Australian wheatbelt soils challenges key soil and nitrogen management assumptions. *Australian Journal of Soil Research*, 47(1): 127-135.
- Woodruff, L.G. et al., 2009. Continental-scale patterns in soil geochemistry and mineralogy: Results from two transects across the United States and Canada. *Applied Geochemistry*, 24(8): 1369-1381.
- Wuddivira, M.N. and Camps-Roach, G., 2007. Effects of organic matter and calcium on soil structural stability. *European Journal of Soil Science*, 58(3): 722-727.
- Wuddivira, M.N., Ekwue, E.I. and Stone, R.J., MODELLING SLAKING SENSITIVITY TO ASSESS THE DEGRADATION POTENTIAL OF HUMID TROPIC SOILS UNDER INTENSE RAINFALL. *Land Degradation & Development*, 21(1): 48-57.
- Wuddivira, M.N., Stone, R.J. and Ekwue, E.I., 2009. Structural Stability of Humid Tropical Soils as Influenced by Manure Incorporation and Incubation Duration. *Soil Science Society of America Journal*, 73(4): 1353-1360.
- Yanai, J. et al., 2009. Function of geophagy as supplementation of micronutrients in Tanzania. *Soil Science and Plant Nutrition*, 55(1): 215-223.

- Yli-Halla, M., Mokma, D.L., Alakukku, L., Drees, R. and Wilding, L.P., 2009. Evidence for the formation of Luvisols/Alfisol as a response to coupled pedogenic and anthropogenic influences in a clay soil in Finland. *Agricultural and Food Science*, 18(3-4): 388-401.
- Yong, R.N. and Ouhadi, V.R., 2007. Experimental study on instability of bases on natural and lime/cement-stabilized clayey soils. *Applied Clay Science*, 35(3-4): 238-249.
- Yongue-Fouateu, R., Yemefack, M., Wouatong, A.S.L., Ndjigui, P.D. and Bilong, P., 2009. Contrasted mineralogical composition of the laterite cover on serpentinites of Nkamouna-Kongo, southeast Cameroon. *Clay Minerals*, 44(2): 221-237.
- Yoo, G. and Wander, M.M., 2008. Tillage effects on aggregate turnover and sequestration of particulate and humified soil organic carbon. *Soil Science Society of America Journal*, 72(3): 670-676.
- Yoshida, S. and Hallett, P.D., 2008. Impact of hydraulic suction history on crack growth mechanics in soil. *Water Resources Research*, 44.
- Yukselen, Y. and Kaya, A., 2008. Suitability of the methylene blue test for surface area, cation exchange capacity and swell potential determination of clayey soils. *Engineering Geology*, 102(1-2): 38-45.
- Zanelli, R. et al., 2006. 'Black' soils in the southern Alps: Clay mineral formation and transformation, X-ray amorphous Al phases and Fe forms. *Clays and Clay Minerals*, 54(6): 703-720.
- Zanelli, R., Egli, M., Mirabella, A., Giaccari, D. and Abdelmoula, M., 2007. Vegetation effects on pedogenetic forms of Fe, Al and Si and on clay minerals in soils in southern Switzerland and northern Italy. *Geoderma*, 141(1-2): 119-129.
- Zehetner, F., Lair, G.J., Graf, M. and Gerzabek, M.H., 2009. Rates of biogeochemical phosphorus and copper redistribution in young floodplain soils. *Biogeosciences*, 6(12): 2949-2956.
- Zehetner, F. and Miller, W.P., 2006. Soil variations along a climatic gradient in an Andean agro-ecosystem. *Geoderma*, 137(1-2): 126-134.
- Zhang, H.B., Luo, Y.M., Wong, M.H., Zhao, Q.G. and Zhang, G.L., 2007. Defining the geochemical baseline: a case of Hong Kong soils. *Environmental Geology*, 52(5): 843-851.
- Zigova, A., Stastny, M., Krejcová, J. and Hajek, P., 2007. Characterization of anthropogenic influence on the soil cover on selected localities of Prague. *Acta Geodynamica Et Geomaterialia*, 4(3): 39-+.
- Zinn, Y.L., Lal, R., Bigham, J.M. and Resck, D.V.S., 2007a. Edaphic controls on soil organic carbon retention in the Brazilian Cerrado: Soil structure. *Soil Science Society of America Journal*, 71(4): 1215-1224.
- Zinn, Y.L., Lal, R., Bigham, J.M. and Resck, D.V.S., 2007b. Edaphic controls on soil organic carbon retention in the Brazilian Cerrado: Texture and mineralogy. *Soil Science Society of America Journal*, 71(4): 1204-1214.
- Zung, A.B., Sorenson, C.J. and Winthers, E., 2009. LANDSLIDE SOILS AND GEOMORPHOLOGY IN BRIDGER-TETON NATIONAL FOREST, NORTHWEST WYOMING. *Physical Geography*, 30(6): 501-516.